

OSL Laser Seam Tracking Systems Robot Welding

# **OSL Laser Seam Tracking Systems for Robot Welding**

OSL OSTrack-R is a Laser Seam Tracking system for Robotic Arc Welding.



#### **Features**


- Laser Sensors Designed for Arc Welding
- High standoff, high resolution and large depth of field make for great performance and flexibility in use
- Controller is an industrial PC with no moving parts running OSL's all new Laser seam tracking software
- Informative full colour touchscreen for easy setup, production monitoring and problem resolution
- Sensor isolation module to protect the system from welding shorts

The system has been designed from the ground up for robotic arc welding with special consideration given to performance, robustness, reliability and ease of use.

### **System Structure**

The laser tracking system has just two main parts:

- 1. Laser sensor usually mounted from the torch
- 2. Control Cabinet with integrated colour touchscreen



## Benefits

- Reliable seam finding and accurate seam tracking
- Improved weld quality by keeping the electrode in the joint
- Reduced fixturing costs
- Reduced scrap and rework
- Minimises need to touch up robot programs

# **Applications**

- Automotive
- Tanks & Fittings
- Construction Equipment
- Aerospace & Defence
- Cabinets, containers & housings

The system is suitable for use with all the main robot welding processes



Oxford Sensors Ltd Unit 11, Arena 14 Bicester Park, Charbridge Lane Bicester, Oxfordshire OX26 4SS United Kingdom

Phone +44 (0) 1869 250791 Email info@oxfordsensors.co.uk www.oxfordsensors.co.uk

### **Robot Interfaces**

The standard system interfaces to a wide range of leading robot controllers via a network connection. A special version of the system is available to provide an interface with analogue and digital signals where necessary.

Existing interfaces include:

- ABB
- Fanuc
- Kuka

Ø

(i)

£33

-1.12

Side

6.85

Height

0.97 Width

-0.03

Mismatch

Motoman/Yaskawa

-258 -206 -155 -103 -52 0 52 103 155 20.6 258

Width

Mismatch

Ready 当前焊缝: oo 焊缝名称: Butt Joint 焊缝类型: Butt

16 Nov 2018 01:04 PM OSTrack Ver 1.0.6.8

Oxford sensors



# **OSL Laser Seam Tracking Systems for Robot Welding**

OSL OSTrack-R is a Laser Seam Tracking system for Robotic Arc Welding.



#### **Features**

- Laser Sensors Designed for Arc Welding
- High standoff, high resolution and large depth of field make for great performance and flexibility in use
- Controller is an industrial PC with no moving parts running OSL's all new Laser seam tracking software
- Informative full colour touchscreen for easy setup, production monitoring and problem resolution
- Sensor isolation module to protect the system from welding shorts

The system has been designed from the ground up for robotic arc welding with special consideration given to performance, robustness, reliability and ease of use.

### **System Structure**

The laser tracking system has just two main parts:

- 1. Laser sensor usually mounted from the torch
- 2. Control Cabinet with integrated colour touchscreen



## **Benefits**

- Reliable seam finding and accurate seam tracking
- Improved weld quality by keeping the electrode in the joint
- Reduced fixturing costs
- Reduced scrap and rework
- Minimises need to touch up robot programs

## **Applications**

- Automotive
- Tanks & Fittings
- Construction Equipment
- Aerospace & Defence
- Cabinets, containers & housings

The system is suitable for use with all the main robot welding processes



**Oxford Sensors Ltd** Unit 11, Arena 14 Bicester Park, Charbridge Lane Bicester, Oxfordshire OX26 4SS United Kingdom

Phone +44 (0) 1869 250791 Email info@oxfordsensors.co.uk www.oxfordsensors.co.uk

### **Robot Interfaces**

The standard system interfaces to a wide range of leading robot controllers via a network connection. A special version of the system is available to provide an interface with analogue and digital signals where necessary.

Existing interfaces include:

- ABB
- Fanuc
- Kuka

Ę

i

<u>نې</u>

-1.12

Side

6.85

Height

Width

-0.03

Mismatch

Motoman/Yaskawa

-238 -206 -155 -103 -52 0 52 103 155 20.6 258

Width

Mismatch

OSTrack Ver 1.0.6.8 Ready 当前焊缝: 00 焊缝名称: Butt Joint 焊缝类型: Butt

Laser

Fanuc

16 Nov 2018 01:04 PM

Oxford sensors